B-6

	8 0		6	9 6	3 6		6	9 6		9	8		9	9 9	9	9	0.0	9 6	9	9		9	90	9 6		0 0	90	9 6		8	8 6	9 6		@ @	80	9 6	9	00	9 0	80	00	6	8 0		6	9	9	9 9		000		6 6		9 6		00
	2017/00		804/3/60	3/2/10		2	204/3/460	200			*		2	200//100	20//40	2			SAC-AND	244/3/160		MAZANO		3		24//40				09/1/988					2/2/2		Š	24/7/40	884/3/18	200/G/ED	200	1	Š		200	\$	B#/1/E	09/5/100		20/2/10		24/2/m		204/2/40		206/3/60
	3 1		•	•	1		ŀ		I		\cdot			,	•	•	1	1	T				1		Γ	1	1	1	T	1	, ,	.†.		1	7	1	†.	1	П		,	†	1.		;		1.	H	1	,†;	H	;†.	H	<u>, , , , , , , , , , , , , , , , , , , </u>		
	3		·	<u>.</u>	·	·	ŀ	•	L	•	·	I	•	\cdot	·	1	Ţ	•	ŀ					1		$\overline{ \cdot }$	1	. .	Ī		1	٠,	T		7		1		1			†		H	7	1	Ħ	H	†	, [,	H		Ħ	<u>, †</u> ,		1.
	1		<u>.</u>		1	·L	Ŀ	ŀ	ŀ	1	·	I	•	·I		-	Ţ	.[.	ŀ	$\left \cdot \right $			<u>. </u>		Γ	1	1					٦,	П	ij	7	, Ţ,	1			,	7	٦.		П	7	†	١.	1.1	Ť,	,†,	П	.,.	H	Π.		
				٠	٠						ŀ		·	,	·	$\overline{\cdot}$	1	.].	Ţ,			,		Π,			,	, ,			,	٦,	T	ij		. .	١,	,				1,	1	H	,†	,	١,		1		H	. †.	Ħ	<u>, †</u>	Ħ	
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1 1			'	•	.]	Ŀ					1		7			1	, ,	1	,	T		1	†		ŀ		†.	T	1.	,	۱,	Τ	1	1	, † ,	†,		1	,	7	†,		H	;	,	1.	.	†	,†,	H	†.	H	 .	t	H
	4		'			-					,			•					1				·	1		-	-	•				1.			1			·	-	'	†	1.							1			1		. ,		
	2		3	3	:	1	12	1	1	!	2	{	3	2	3	3	1	,	3	3		3	3	,		3	3	1 2	Γ	2		,		3	3		T	,	2	3	3	1	1 3	H	2		22	921	1	1 2	П	2 2	H	2 5	†	ã
	8 =		22	2			1	2						3	3	2	Ţ.	2	3	2		2	2	2		7	3	1 2		2	2	1/2		2	十	†	T		Н	7	7	†	1	H	7	+		П	+	\top	H	十	H	H	1	3
			2	<u> </u>			13	3	;		1	Ţ		3	3		7		3	2	1	2	;	1 2	Γ	2	2	1/2	Г	2	3 :	1 2	Г	į	2			2	3	3	2	1;	12	Ħ	3	2	2	3	1	,	Ħ	2 2	H	2 2	+	;
	6 8		ê		:		1					1			:		1	1	5	3		3		1,				:	T	+		╁	Н	┥	╁	╁	╁	H	Н	\dashv	+	1	3	╌┤	+	╁	H	Н	+	+	H	3 3	╂╢	╂╂	╁	è
	5	1			1	1	T.	1	†	†		1			.†	†	1	1	1		1	1	1	Ť.				†	T		1	+	+	+	1	1	1	-	H	+	+	╁,	+	H	+	+	1.		+	+	H	+	H		+	۲
	2 3	7	:	<u>.</u>	;	;	†			;	3	1	:	5	;	:	1	;	š	3	+	;	2 :	1			•	+	\vdash		,	<u>†</u>		Į	,	Ι,	+		H	,	+	+	+	H	+	+	-		+	+	H	+	H	H	+	ζ
	1:1	+	+	╁	╁	╁	+	╀	╁	╀	+	+	╁	+	+	+	╁	┿	╀	Н	+	╅	+	┿	H	Н	+	╀	H	Н	+	┿	H	+	┿	╬	╁	Н	Н	+	+	+	+	H	4	∔	+	H	+	+	H	+	H	H	+	H
	╂╂	-1	+	╁	4	+	╁	╁	4	+	4	+	+	+	+	+		+	╂-	Н	-	4	4	۱.	\vdash	Н	+	+	-	1	1	1	+	+	+	┿	+	-	Н	-1	-	1	1	╁┼	-	+	╀	Н	4	1	╌		┨	8 8	╁	9

222d

WE SERVICE ON TO THE WORK SECURED ON THE APPLICATION OF THE APPLICATIO

O 000 and 100 and 100

Unit Information

COMMERCIAL UNITS

There are three Commercial Units (use group 6). The unit areas are as follows:

Unit	Floor	Area
Α	Ground	3,159 SF
Α	Mezzanine	530 SF
Α	Cellar	3,350 SF
Total unit A		7,039 SF
В	Sub Cellar	1,412 SF
С	Sub Cellar	106 SF

The Sponsor has indicated that the Commercial Units are not intended to be offered for sale at the time of the offering.

RESIDENTIAL UNITS

General

All Residential Units in the building are Loft Dwellings as defined in the Zoning Resolution.

Residential and "Home Occupation" Uses

The Loft Dwelling Units may be occupied by businesses as "accessory uses" under the Zoning Resolution definition of "home occupations". In C6 Districts, the home occupation provisions of Section 12-10 shall apply, except that up to 49 percent of the total floor area of the dwelling unit may be used for a home occupation. Refer to the Zoning Resolution for further definition of restrictions that apply to permitted uses of "home occupation" areas.

There are twenty-five residential units. Each residential unit is numbered by floor. In addition Lofts on the 2nd through 10th Floors are lettered N for the North Units and S for the South Units.

3. Residential Unit Conditions at the Time of Offering:

North Units 2nd - 10th Floors

Units 2N, 3N, 4N, 5N, 6N, 7N, 8N, 9N, 10N:

Master bedroom suite with walk in closet and full bathroom, bathroom, foyer, one living/dining / kitchen with study alcove, one laundry/mechanical room. The units trash/storage room is off the building common corridor.

South Units 2nd - 10th Floors Units 25, 35, 45, 55, 65, 75, 85, 95, 105:

Master bedroom suite with walk in closet and full bathroom, Two bedrooms with two full bathrooms, foyer, one living/dining / kitchen, one laundry/mechanical room. The units trash/storage room is located off the building common corridor.

Architect's and Engineer's Report

The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

Date: 3/08/99 Revised: 4/27/99

Revised: 5/19/99

New York, NY 10013

Page: E.1

Unit Information

Full Floor Units 11th - 16th Floors Units 11, 12, 13, 14, 15, 16:

Master bedroom suite with walk in closet/dressing room, cedar closet and full bathroom, two bedrooms with one full bath room, guest bedroom suite with a full bathroom, private elevator lobby, foyer, gallery, rear hall, one living/dining, kitchen with pantry area, one library with a wood burning fireplace, one home office, one mechanical room, one laundry room, one trash/storage room.

Full Floor Unit 17th Floor Unit 17:

Master bedroom suite with walk in closet/dressing room, cedar closet and full bathroom, two bedrooms with one full bath and a powder room. Guest bedroom suite with a full bathroom, private elevator lobby, foyer, gallery, rear hall, one living/dining, kitchen with pantry area, one library with a wood burning fireplace, one home office, one mechanical room, one laundry room, one trash storage room.

Unit 17 has an interior stair with access to a new penthouse living area with a powder room. There is access to a private recreational area on a portion of the building's roof with exterior metal stairs to the new roof of the penthouse. Unit 17's exterior area will be divide from the common exterior residential recreational area by a fence. The new penthouse, fence and metal access stairs are pending approval by the New York City Department of Building and New York City Landmarks Preservation Commission.

Interior residential stair:

Stair # 5 is a new communication stair between the 17th Floor of Unit 17 and Unit 17's new Penthouse Area. The stair will be steel with open risers. The handrail, balustrade and quard rails will be as required by the New York Department of Buildings.

Residential Unit Finishes:

All room finishes except for the bathrooms, laundry rooms and trash rooms are as follows:

Walls: Existing plaster perimeter walls will be patched and painted.

New walls will be painted gypsum board.

Existing plaster to remain will be patched and painted. Ceilings:

New ceilings will be painted gypsum board.

Floors: Existing concrete floor to be finished polished and sealed or new wood veneer floors

will be installed.

Finishes for common areas are as follows:

Elevator Lobby

Walls: Existing Marble

Ceilings: Existing plaster to remain will be patched and painted

Floors: Existing Terrazzo

Foyer or Hall

Painted gypsum board or Existing plaster to remain will be patched and painted Walls:

Ceilings: Painted gypsum board

Architect's and Engineer's Report

The Franklin Tower at 90 Franklin Street (aka 271 Church Street) New York, NY 10013

Date: 3/08/99 Revised: 4/27/99

Page: E.2

Revised: 5/19/99

Unit Information

Floors:

Existing concrete floor to be finished polished and sealed or new wood veneer floors

will be installed.

All bathrooms, laundry rooms and trash rooms are finished as follows:

Master Bathrooms and Guest Bathrooms

Walls:

Ceramic tile wainscot and painted gypsum board

Shower: Ceramic tile

Ceilings:

Painted gypsum board

Floors:

Marble tile

Powder Rooms

Walls:

Ceramic tile wainscot and painted gypsum board

Ceilinas:

Painted gypsum board

Floors:

Marble tile

Bathrooms

Walls:

Ceramic tile and painted gypsum board

Shower:

Ceramic tile

Ceilings: Painted gypsum board

Floors:

Ceramic tile

Laundry Rooms/Mechanical Rooms and Trash Rooms

Walls:

Painted aypsum board

Ceilinas:

Existing plaster to remain will be patched and painted or painted gypsum board.

Floors:

Ceramic tile and base

Gypsum board will be installed on metal studs, furring, and/or black iron as applicable. Drywall at wet locations will be water resistant. The entire Loft will be painted with one coat of primer and two coats of finished latex paint.

Residential Unit Bathroom Fixtures and Fittings:

The Sponsor reserves the right to substitute fixtures and fittings with substantially equal or better fixtures and fitting:

Single Unit: 11th - 17th floor (units 11, 12, 13, 14, 15, 16 and 17)

Master Bath A

Toilet: Waterworks Richmond elongated water closet

Lavatory:

Two (2) Waterworks Richmond standard pedestal with

Waterworks Aero faucet set

Bathtub:

freestanding Waterworks Savoy tub 70" with feet.

Waterworks Aero wall mounted faucet set.

Shower:

built in shower with unframed glass doors and stainless steel hardware.

Shower faucet set Waterworks Aero concealed shower mix and Julia body spray.

Bath A1

Toilet: Waterworks Richmond elongated water closet

Lavatory:

Waterworks Richmond standard pedestal with Waterworks Aero faucet set.

Shower:

American Standard alcove shower base 48" x 34" with a glass door

Architect's and Engineer's Report

The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

New York, NY 10013

Date: 3/08/99 Revised: 4/27/99

Page: E.3

Revised: 5/19/99

Unit Information

Bath A2

Toilet: Waterworks Richmond elongated water closet

Lavatory: Waterworks Richmond standard pedestal with Waterworks Aero faucet set

Bathtub: Kohler K-515 cast iron bath 66" x 32" in white with Waterworks Aero hand shower

Guest Bath

Toilet: Waterworks Richmond elongated water closet

Lavatory: Waterworks Richmond standard pedestal with Waterworks Aero faucet set

Bathtub: Waterworks Classic II tub drop in tub into a marble deck,

Waterworks Aero faucet set.

Shower: Built in shower with unframed glass doors and stainless steel hardware.

Shower faucet set Waterworks Aero concealed shower mix.

Powder Room

Toilet: Waterworks Richmond elongated water closet

Lavatory: Waterworks Richmond standard pedestal with Waterworks Aero faucet set

North Unit: 2nd - 10th floor (units 2N, 3N, 4N, 5N, 6N, 7N, 8N, 9N 10N)

Master Bath C

Toilet: Waterworks Richmond elongated water closet

Lavatory: Two (2) Waterworks Richmond standard pedestal with

Waterworks Aero faucet set

Bathtub: Waterworks Classic II tub drop in tub into a marble deck,

Waterworks Aero faucet set

Shower: built in shower with unframed glass doors and stainless steel hardware.

Shower faucet set Waterworks Aero concealed shower mixer

Bath C

Toilet: Waterworks Richmond elongated water closet

Lavatory: Waterworks Richmond standard pedestal with Waterworks Aero faucet set

Bathtub: Kohler K-515 cast iron bath 66" x 32" in white with Waterworks Aero hand shower.

South Unit: 2nd - 10th floor (units 25, 35, 45, 55 , 65, 75, 85, 95 105)

Master Bath B

Toilet: Waterworks Richmond elongated water closet

Lavatory: Two (2) Waterworks Richmond standard pedestal with

Waterworks Easton faucet set

Bathtub: Waterworks Classic II tub drop in tub into a marble deck,

Waterworks Aero faucet set

Shower: built in shower with unframed glass doors and stainless steel hardware.

Shower faucet set Waterworks Aero concealed shower mix

Bath B1

Toilet: Waterworks Richmond elongated water closet

Lavatory: Waterworks Richmond standard pedestal with Waterworks Aero faucet set.

Shower: American Standard alcove shower base 48" x 34" with a glass door

Architect's and Engineer's Report

The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

Date: 3/08/99 Revised: 4/27/99

Revised: 5/19/99

New York, NY 10013

Page: E.4

Unit Information

Bath B2

Toilet: Waterworks Richmond elongated water closet

Waterworks Richmond standard pedestal with Waterworks Aero faucet set Lavatory:

Bathtub: Kohler K-515 cast iron bath 66" x 32" in white with Waterworks Aero hand shower

Kitchens and Laundries:

The Sponsor reserves the right to substitute equipment with substantially equal or better equipment:

FULL FLOOR Unit Kitchen 11th - 17th floor

(units 11, 12, 13, 14, 15, 16 and 17)

Cabinetry:

Boffi Studio Model Grand Chef Finish: Stainless Steel

Countertop Finishes: to be Stainless Steel at the Grand Chef and

Maple Butcher Block at island and pantry countertops.

upper unit: Aluminum framed glass door lower unit: Brushed Stainless Steel

Island unit: Laminated MDF Board Finish: Setasil Matte Lacquer Charcoal Grey

Hood: Gaggenau

Fixtures & Fittings: DBL Stainless Steel Sink with Garbage Chute.

Faucet KWC # RBK11C, Chromed Mixer/Sprayer

Accessories:

Stainless Steel Garbage Bin

Sliding Butcher Block Cutting Board

Slidina Dish Drain

Sliding Grill

Sliding Stone Warmer

Front Panel for Dishwasher finish: Stainless Steel

Appliances:

Range: Gaggenau three VG353-212 Stainless Steel

Refrigerator: Sub Zero Model 550 Refrigerator with automatic ice maker 36" in Stainless Steel

Dishwasher: Bosch

Oven/Microwave: Thermador double oven with microwave.

NORTH and SOUTH UNIT KITCHEN 2nd - 10th floor

(units 2N, 2N, 3N, 35, 4N, 45, 5N, 55, 6N, 65, 7N, 75,8N,85, 9N,(95) 10N, 105)

Cabinetry:

Boffi Studio Model Grand Chef Finish: Stainless Steel

Countertop Finishes: to be Stainless Steel at the Grand Chef

Maple Butcher Block at island counters. upper unit: Aluminum framed glass door

lower unit: Laminated MDF Board Finish Setasil Matte Lacquer Charcoal Grey

Hood: Thermador

Fixtures & Fittings: DBL Stainless Steel Sink with Garbage Chute.

Faucet KWC # RBK11C, Chromed Mixer/Sprayer

Accessories:

Architect's and Engineer's Report

The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

New York, NY 10013 Page: E.5

Date: 3/08/99 Revised: 4/27/99

Revised: 5/19/99

227

Unit Information

Stainless Steel Garbage Bin

Sliding Butcher Block Cutting Board

Sliding Dish Drain

Front Panel for Dishwasher finish: plastic laminate Setasil Matte Lacquer Charcoal Grey

Appliances:

Range: Gaggenau KG354-214 natural gas 27' Stainless Steel

Refrigerator: Sub Zero Model 550 Refrigerator with automatic ice maker 36" in Stainless Steel

Dishwasher: Bosch

Oven/Microwave: Thermador oven with microwave

Hood: Thermador

Laundry (at all units)

Sink: Eljer Stantray Laundry sink

Washer: GE WSXH2O8V Horizontal Axis stacking Dryer: GE DSXH43EV Horizontal Axis stacking

4. Lighting:

North Units $2^{nd} - 10^{th}$ Floors 2N, 3N, 4N, 5N, 6N, 7N, 8N, 9N, 10N

Room Name	Fixtures	Remarks
Foyer	MR 16 recessed wall washer down light, incandescent step light	
Living/Dinning Room	Wall Sconces, MR 16 recessed wall washer down light	
Kitchen C	MR 16 recessed down light, ceiling mounted pendent, under cabinet task light	
Laundry Mechanical Room	Incandescent Wall mounted utility fixture	
Study Alcove	Wall Sconces	
Corridor	MR 16 recessed wall washer down light, incandescent step light	
Master Bedroom	Wall Sconces	
Closet	Track Light halogen lamps	
Master Bath C	MR 16 recessed down light, recessed shower down light, surface mounted florescent fixture over mirror	
Trash Storage	Incandescent wall mounted utility fixture	

(South Units 2nd - 10th) Floors 25, 35, 45, 55, 65, 75, 85, 95, 105

Room Name	Fixtures	Remarks
Corridor	MR 16 recessed wall washer down light, incandescent step light	
Foyer	MR 16 recessed wall washer down light, incandescent step light	
Living/Dinning Room	Wall Sconces, MR 16 recessed wall washer down light	
Kitchen B	MR 16 recessed down light, Ceiling mounted	

Architect's and Engineer's Report

The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

Date: 3/08/99 Revised: 4/27/99

Revised: 5/19/99

New York, NY 10013

Page: E.6

Unit Information

	Pendent, under cabinet task light	
Laundry Mechanical Room	Incandescent Wall mounted Utility	
Bed Rooms	Wall Sconces, MR 16 recessed downlight	
Bath B1 & B2	MR 16 recessed down light, recessed shower down light, Surface Mounted florescent fixture over mirror	
Master Bedroom	Wall Sconces, MR 16 recessed down light	
Closet	Track Light halogen lamps	
Master Bath B	MR 16 recessed down light, recessed shower down light, Surface Mounted florescent fixture over mirror	
Trash Storage	Incandescent wall mounted utility fixture	

2nd- 10th Floors (Areas other then the North and South Units)

Room Name	Fixtures	Remarks
Elevator Lobby	Recessed incandescent wall washer downlight,	
Entry	Wall Sconce	
Corridor	Incandescent wall mounted utility fixture	

Full Floor Units 11, 12, 13, 14, 15, 16 and 17

Room Name	Fixtures	Remarks
Gallery	Recessed Track Light , Surface mounted incandescent pendent, incandescent step light	
Rear Hall	MR 16 recessed wall washer down light, Surface mounted incandescent pendent, incandescent step light	
Living / Dinning Room	Wall Sconces	
Kitchen A	MR 16 recessed down light, Ceiling mounted pendent, under cabinet task light	
Pantry	MR 16 recessed wall washer down light]
Laundry/Mechanical Room	Incandescent Wall mounted Utility	
Home Office	MR 16 recessed down light	
Bed Rooms	Wall Sconces, MR 16 recessed downlight	-
Guest Bath A, BathA1 & A2	MR 16 recessed down light, recessed shower down light, Surface Mounted florescent fixture over mirror	
Powder Room	MR 16 recessed down light, Surface Mounted florescent fixture over mirror	
Master Bedroom	Wall Sconces, MR 16 recessed down light	
Closet	Track Light halogen lamps	

Architect's and Engineer's Report The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

Date: 3/08/99 Revised: 4/27/99

Revised: 5/19/99

New York, NY 10013

Page: E.7

Case 1:07-cv-08604-WHP Document 51-13 Filed 06/09/2008 Page 10 of 41

Appendix F

Unit Areas

UNIT	AREA
Sub Cellar Floor	
Unit B	1,412 SF
Unit C	106 SF
Building Common Area	4,088 SF
Total Area	5,606 SF
Cellar Floor	
Unit A	3,313 SF
Building Common Area	2,293 SF
Total Area	5,606 SF
Ground Floor	
Unit A	2,492 SF
Building Common Area	3,114 SF
Total Area	5,606 SF
Mezzanine Floor	
Mezzanine Floor Unit # A	557 SF
	557 SF 624 SF
Unit # A	1
Unit # A Building Common Area	624 SF
Unit # A Building Common Area Total Area	624 SF
Unit # A Building Common Area Total Area Floors 2 nd – 4 th	624 SF 1,181 SF
Unit # A Building Common Area Total Area Floors 2 nd - 4 th Unit 2N, 3N, 4N	624 SF 1,181 SF 1,895 SF
Unit # A Building Common Area Total Area Floors 2 nd - 4 th Unit 2N, 3N, 4N Unit 2S, 3S, 4S	1,895 SF 2,633 SF
Unit # A Building Common Area Total Area Floors 2 nd - 4 th Unit 2N, 3N, 4N Unit 2S, 3S, 4S Building Common Area	1,895 SF 2,633 SF 1,078 SF
Unit # A Building Common Area Total Area Floors 2 nd – 4 th Unit 2N, 3N, 4N Unit 2S, 3S, 4S Building Common Area Total Area	1,895 SF 2,633 SF 1,078 SF
Unit # A Building Common Area Total Area Floors 2 nd – 4 th Unit 2N, 3N, 4N Unit 2S, 3S, 4S Building Common Area Total Area Floors 5 th – 6 th	1,895 SF 2,633 SF 1,078 SF 5,606 SF
Unit # A Building Common Area Total Area Floors 2 nd – 4 th Unit 2N, 3N, 4N Unit 2S, 3S, 4S Building Common Area Total Area Floors 5 th – 6 th Unit 5N, 6N	1,895 SF 2,633 SF 1,078 SF 5,606 SF

Architect's and Engineer's Report
The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

Date: 3/08/99 Revised: 4/27/99 232

Appendix F

Unit Areas

F	OOL	7"
	IUUI	,

Unit 7N	1,895 SF
Unit 7S	2,633 SF
Building Common Area	1,078 SF
Total Area	5,606 SF

Floor 8th

Unit 8N	1,895 SF
Unit 8S	2,633 SF
Building Common Area	1,078 SF
Total Area	5,606 SF

Floors 9th - 10th

Unit 9N, 10N	1,895 SF
Unit 9N, 10N	2,633 SF
Building Common Area	1,078 SF
Total Area	5,606 SF

Floors $11^{th} - 16^{th}$

Unit 11, 12, 13, 14, 15, 16	5,027 SF
Building Common Area	579 SF
Total Area	5,606 SF

17th Floor

Unit 17 (Interior Area)	5,027 SF
Building Common Area	579 SF
Total Area	5,606 SF

Architect's and Engineer's Report
The Franklin Tower at 90 Franklin Street (aka 271 Church Street) Date: 3/08/99 Revised: 4/27/99 233

New York, NY 10013 Page: F.2

Page 12 of 41

Appendix F

Unit Areas

18th Floor Roof Plan

Unit 17 (Interior Area)	543 SF
Exterior Area for Unit 17	1,331 SF
Common Recreational Interior Area	634 SF
Common Recreational Exterior Area	2,186 SF
Total Common Recreational Space	2,820 SF
Building Common Area other then Common Recreational Area	912 SF
Total Area	5,606 SF

Roof of Penthouse

Exterior Area for Unit 17	543 SF
	_

Penthouse First Level Plan

Exterior Area for Unit 17	320 SF

Total Area for Unit 17

Total Interior Area for Unit 17	5,570 SF
Total Exterior Area for Unit 17	2,194 SF

Architect's and Engineer's Report

The Franklin Tower at 90 Franklin Street (aka 271 Church Street)

New York, NY 10013 Page: F.3 Date: 3/08/99 Revised: 4/27/99 234

Appendix G

Floor and Site Plans

Architect's and Engineer's Report
The Franklin Tower at 90 Franklin Street (aka 271 Church Street) New York, NY 10013 Date: 3/08/99 Revised: 4/27/99 Page: G1 235


THIS PAGE LEFT BLANK INTENTIONALLY


Company of the second state of the second


FLOOR PLANS


All dimensions of the following floor plans and Schedule B of the Declaration are approximate and may exceed the usable floor area of the Unit which is so depicted. The following floor plans are subject to variations between such floor plans and the actual condominium floor plans to be filed with the Office of the City Register, New York County, and to changes in fenestration and other revisions which are deemed advisable by the local department of buildings or other agencies having jurisdiction over same, or which are necessitated by job conditions, or are permitted to be made by Sponsor in accordance with the Plan.


THIS PAGE LEFT BLANK INTENTIONALLY




















drawing number 0. 2. 5. 10. 20 scale

TO 168 13 ARCHITCH AND 100 ARCHITCH AND

Revised April 27, 1999 date

PENTHOUSE FLOOR PLAN

drawing title

UNIT AREAS: EXTERIOR AREA FOR UNIT 17 © PENTHOUSE ROOF

EXTERIOR AREA FOR UNIT 17

543sf


@ IST LEVEL PLAN
TOTAL AREA

320sf

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF BUILDINGS, CITY OF NEW YORK AND FARLY DEPICTS THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

ARCHITECTS CERTIFICATION STATE OF NEW YORK COUNTY OF NEW YORK

THE FRANKLIN
TO WER
90 FRANKLIN STREET, NEW YORK NY 10013



MECHANICAL PENTHOUSE - SECOND LEVEL PLAN

AG-14

₫,

drawing title

PENTHOUSE
FLOOR AND ROOF PLANS

2 MECHANICAL PENTHOUSE - ROOF PLAN

Revised April 27, 1999 date

MECHANICAL AREA


726sf

UNIT AREAS:


APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BILLDING AS FILED AND APPROVED BY THE DEPARTMENT OF BUILDINGS, CITY OF REW YORK AND TARILY DEPICTS.

THE LAYOUT, LOCATION, UNIT DESIGNATION AND 90 FRANKLIN STREET, NEW YORK, NY 10013 TOWER ARCHITECTS CERTIFICATION
STATE OF NEW YORK
COUNTY OF NEW YORK



248



FIXTURES

- 1. PEDESTAL SINK

ACCESSORIES

- TOWEL BAR 7. RECESSED MEDICINE CABINET PAPER HOLDER
- 8. ROBE HOOK
- 10. TUMBLER HOLDER WALL-HUNG MIRROR

12. TOWEL RING 11. GLASS SHELF

WATER CLOSET

4. GLASS ENCLOSED SHOWER


THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF BUILDINGS, CITY OF NEW YORK AND FAIRLY DEPICTS THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

BATHROOMS B1, B2 FLOORS 2-10 SOUTH UNIT March 1, 1999 scale AG-16 drawing number drawing title E NEW YORK 16813

FRANKLIN TOWER

90 FRANKLIN STREET, NEW YORK, NY 10013

ARCHITECTS CERTIFICATION
STATE OF NEW YORK
COUNTY OF NEW YORK



8. ROBE HOOK

TOWEL BAR 5. PAPER HOLDER

FIXTURES

- ACCESSORIES

11. GLASS SHELF 12. TOWEL RING 10. TUMBLER HOLDER

- WATER CLOSET
- 3. TUB

March 1, 1999 date seal ARED ARCHUTC OF NIN 016313

1. PEDESTAL SINK


WALL-HUNG MIRROR 7. RECESSED MEDICINE CABINET

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCIDANT COPY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEFARITMENT OF MORE AND FARRY DEFUCTS. THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT ARCHITECTS CERTIFICATION STATE OF NEW YORK COUNTY OF NEW YORK

90 FRANKLIN STREET, NEW YORK, NY 10013

FRANKLIN


TOWER



FLOORS 2-10 NORTH UNIT

BATHROOM C

AG-17 drawing title



12. TOWEL RING 11. GLASS SHELF 10. TUMBLER HOLDER WALL-HUNG MIRROR

FIXTURES

- 1. PEDESTAL SINK
- WATER CLOSET FREESTANDING TUB
- 4. GLASS ENCLOSED SHOWER

ACCESSORIES

PAPER HOLDER

TOWEL BAR

RECESSED MEDICINE CABINET


ROBE HOOK

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF BUILDINGS. CITY OF NEW YORK AND FARLY DEPICTS THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

ARCHITECTS CERTIFICATION STATE OF NEW YORK COUNTY OF NEW YORK

90 FRANKLIN STREET, NEW YORK NY 10013

FOWER




drawing number

AG-18

drawing title FL00RS 11-16 **MASTER BATH A** March 1, 1999 date

TERED ARCHIT OF NEW 016813



- PEDESTAL SINK
- 4. GLASS ENCLOSED SHOWER

ACCESSORIES

- PAPER HOLDER
- 7. RECESSED MEDICINE CABINET
- 8. ROBE HOOK

seal OF NEW YORK

March 1, 1999 date

FL00RS 11-16 **GUEST BATHROOM A**

AG-19 drawing title

drawing number

scale

G


THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS RILED AND APPROVED BY THE CEPARTHENT OF BUILDINGS, CITY OF RILEW YORK AND TARRY CEPICTS.

THE LAYOUT, LOCATION UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT.

FRANKLIN TOWER

ARCHITECTS CERTIFICATION
STATE OF NEW YORK
COUNTY OF NEW YORK

90 FRANKLIN STREET, NEW YORK, NY 10013



- 1. PEDESTAL SINK
- 3. TUB
- 4. GLASS ENCLOSED SHOWER

ACCESSORIES

- PAPER HOLDER
- RECESSED MEDICINE CABINET
- 8. ROBE HOOK
- 10. TUMBLER HOLDER WALL-HUNG MIRROR
- 11. GLASS SHELF 12. TOWEL RING

March 1, 1999 date OF NEW YORK 016819

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUNDING AS FILED AND APPROVED BY THE DEPARTMENT OF BUILDINGS, CITY OF HEW YORK AND FAIRTY REPORTS THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

ARCHITECTS CERTIFICATION
STATE OF NEW YORK
COUNTY OF NEW YORK

30 FRANKLIN STREET, NEW YORK, NY 10013

FRANKLIN

TOWER


scale

FLOORS 2-10 NORTH UNIT drawing title

MASTER BATH C

AG-20

drawing number




- WATER CLOSET 1. PEDESTAL SINK
- 4. GLASS ENCLOSED SHOWER

PAPER HOLDER ACCESSORIES

7. RECESSED MEDICINE CABINET TOWEL BAR


8. ROBE HOOK



12. TOWEL RING 11. GLASS SHELF 10. TUMBLER HOLDER

> BUILDINGS, CITY OF NEW YORK AND FAIRLY DEFICES THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT THIS IS TO CERTIFY THAT THIS FLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF


FRANKLIN 90 FRANKLIN STREET, NEW YORK, NY 10013 TOWER ARCHITECTS CERTIFICATION STATE OF NEW YORK COUNTY OF NEW YORK



MASTER BATH B
FLOORS 7-10
SOUTH UNIT

drawing title

March 1, 1999



- WATER CLOSET PEDESTAL SINK
- 3. TUB

- 4. GLASS ENCLOSED SHOWER


ACCESSORIES

- PAPER HOLDER
- 7. RECESSED MEDICINE CABINET TOWEL BAR
- 9. WALL-HUNG MIRROR

8. ROBE HOOK

11. GLASS SHELF 10. TUMBLER HOLDER

12. TOWEL RING



March 1, 1999 date

FLOORS 2-6 SOUTH UNIT


MASTER BATH B


AG-22

drawing title

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE CORY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF BUILDINGS, CITY OF NEW YORK AND FAIRLY OFFICES THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

FRANKLIN 90 FRANKLIN STREET, NEW YORK, NY 10013 TOWER ARCHITECTS CERTIFICATION
STATE OF NEW YORK
COUNTY OF NEW YORK





LEISTERED ARCHITECT


APPLIANCES & ACCESSORIES

- REFRIGERATOR
- OVEN
- ISALAND COUNTER TOP
- **BURNER RANGE**
- LOWER CABINETS
- STEEL WITH INTEGRAL SINK 'GRAND CHEF' IN STAINLESS SLIDING DISH DRAINER; GARBAGE CHUTE AND BIN; CHOPING BLOCK; APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

BUILDINGS, CITY OF NEW YORK AND FAIRLY DEPICTS ARCHITECTS CERTIFICATION **COUNTY OF NEW YORK** STATE OF NEW YORK

90 FRANKLIN STREET, NEW YORK, NY 10013

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF THE LAYOUT, LOCATION. UNIT DESIGNATION AND



KITCHEN C FLOORS 7-10

drawing title **AG-23**


NORTH UNIT

seal

OF NEW Y 1016813

March 1, 1999 date

526



APPLIANCES & ACCESSORIES

- REFRIGERATOR
- 3. ISALAND COUNTER TOP

90 FRANKLIN STREET, NEW YORK, NY 10013

ARCHITECTS CERTIFICATION

STATE OF NEW YORK

- BURNER RANGE
- LOWER CABINETS
- STEEL WITH INTEGRAL SINK; **'GRAND CHEF' IN STAINLESS**
- **GRILL AND STONE WARMER** CHOPING BLOCK;
- **UPPER CABINETS WITH** CONCEALED COUNTER LIGHTS

,00

DISHWASHER

10. ACCESSORIES BAR

- SLIDING DISH DRAINER; GARBAGE CHUTE AND BIN;
- BUILDINGS, CITY OF NEW YORK AND FAIRLY DEPICTS THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT FILED AND APPROVED BY THE DEPARTMENT OF

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS COUNTY OF NEW YORK

scale

March 1, 1999 date


seal

OF NEW YORK

KITCHEN C FLOORS 2-6 NORTH UNIT

drawing title AG-24

drawing number



10. ACCESSORIES BAR

H00D

DISHWASHER

GRILL AND STONE WARMER

UPPER CABINETS WITH

CONCEALED COUNTER LIGHTS

APPLIANCES & ACCESSORIES

- REFRIGERATOR OVEN
- ISALAND COUNTER TOP
- BURNER RANGE
- 'GRAND CHEF' IN STAINLESS
- GARBAGE CHUTE AND BIN; STEEL WITH INTEGRAL SINK;

SLIDING DISH DRAINER;

CHOPING BLOCK;


90 FRANKLIN STREET, NEW YORK, NY 10013

ARCHITECTS CERTIFICATION COUNTY OF NEW YORK STATE OF NEW YORK

LOWER CABINETS

APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT BUILDINGS, CITY OF NEW YORK AND FAIRLY DEPICTS THE LAYOUT, LOCATION, UNIT DESIGNATION AND

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE BUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF




KITCHEN B FLOORS 2-10

March 1, 1999 date

seal

TAON NEW JOH 716815

SOUTH UNIT



APPLIANCES & ACCESSORIES

OWER

- 1. REFRIGERATOR
- ISALAND COUNTER TOP
- 4. BURNER RANGE
- LOWER CABINETS
- GRAND CHEF' IN STAINLESS GARBAGE CHUTE AND BIN; STEEL WITH INTEGRAL SINK

DISHWASHER

GRILL AND STONE WARMER

SLIDING DISH DRAINER; CHOPING BLOCK;

CONCEALED COUNTER LIGHTS

RESTRICT ARCHITE OF NEW YORK 016815

90 FRANKLIN STREET, NEW YORK, NY 10013 ARCHITECTS CERTIFICATION
STATE OF NEW YORK
COUNTY OF NEW YORK

THIS IS TO CERTIFY THAT THIS PLAN IS AN ACCURATE COPY OF A PORTION OF THE PLANS OF THE QUILDING AS FILED AND APPROVED BY THE DEPARTMENT OF BUILDINGS, CITY OF NEW YORK AND FARILY DEPICTS THE LAYOUT, LOCATION, UNIT DESIGNATION AND APPROXIMATE DIMENTIONS OF THE UNITS TO BE BUILT

AG-26 drawing number

KITCHEN A
FLOORS 11-16
SINGLE UNIT

drawing title

March 1, 1999 date

seal



Technical Report: Periodic Inspection of Exterior Walls and Appurtenances February 21, 1995 - February 21, 1997 Please File 3 Copies This Form Must Be Typewritten and Microfilmed with the Report

	Interna	Use		_
DEF	ineri Were	en ve Of Bu	D ILDINGS/	
	KOV	6 FE	5	/

ZEPARTMENT OF BUILDINGS This Form Must be Typewhiten	CITY OF MENS YOUR
1 Filing Status	Borough of Manhattan
X Initial Filing Amended filing Indi	
Was filling made for any previous cycles (yes/no)? If yes, indicate last filling date: 1	0 / 18 / 91
2 Location	
Borough Manhattan Block 175 Logs	10 BIN
House No(s). 271 40 Street Name Church Stre	et FRANKLIN ST.
A.K.A. address(es) 90-94 Franklin Street	
3 Applicant	
Last Name Cohan First Name	Stephen : M.L. L.
Business Name Stephen L. Cohan & Associates,	
	W YORK State NY ZIP10001
P.E. X R.A.	Lic. No. 11222
4 Owner	
Last Name 271 Church St. Association First Name	Mr. P. Doughert M. Agent Title
Business Name Helmsley-Noyes Co., Inc. Address 22 Courtlandt Street city Ne	Business Phone (2121693-4400
Address 22 Courtlandt Street city Ne	W York State NY ZIP 10007
5 Building Characteristics	
	ick Solid
Exemple DI	·
6 Prior Status	1
Ongoing Maintenance Program Precautionary Condition	ns Unsafe Conditions
X Conformed with Code Requirements Current Completion of Work	
7 Current Field Report	
Critical Examination	Ongoing Maintenance Program
X All observed conditions conform to Code Requirements and applicable Rules,	All abserved conditions conform to Code Requirements and applicable Rules,
Regulations and Directives.	Regulations and Directives.
All observed conditions conform to Code Requirements and applicable Rules,	All observed conditions conform to Code Requirements and applicable Rules,
Regulations and Directives except:	Regulations and Directives except for ongoing remedial work described below:
The precautionary work described in the report.	
The unsafe conditions described in the report and below:	
9 Statement Circuit	
8 Statements and Signatures	
I hereby state that the owner has authorized me to make this application. Furthermore, I	Seal (P.E. or R.A.)
hereby state that all statements are correct and complete to the best of my knowledge. A copy of this report has been given to the owner.	SEQ 46
• •	TEN LACK
Falsification of any statement is a misdemeanor under Section 26–124 of the Administrative Code and is punishable by a fine or imprisonment, or both.	(6) (8HE COX /2)
	7 7 7
It is unlawful to give to a city employee, or for a city employee to accept, any benefit, monetary or otherwise, either as a gratuity for properly performing the job or in exchange	
or special consideration. Violation is punishable by imprisonment or fine or both.	1 AIRY VIEW IN THE STATE OF THE
Applicant Name Stephen I Cohan	
Applicant Name Stephen L. Cohan Signature Date	V No. 1122 108

SLC ASSOCIATES

Stephen L. Cohan & Associates

BUILDING SYSTEM EVALUATIONS AND RELATED SERVICES

1170 Broadway, Suite 1115; New York, New York, 10001; Tel: 212-683-9404/05. Fax: 212-683-9586

LOCAL LAW 10 OF 1980 COMPLIANCE FOR EXTERIOR WALLS AND APPRURTENANCES EXAMINATION AND REPORT

FOR

FOURTH CYCLE FILING
IN ACCORDANCE WITH
THE NEW YORK CITY ADMINISTRATIVE
CODE; SECTION C27-129
FIRST THROUGH ROOF APPENDAGE (19TH) LEVEL

RE: 271 CHURCH STREET OWNERS BLOCK: 175
271 CHURCH STREET LOT: 10

BOROUGH OF MANHATTAN USE: COMMERCIAL/
NEW YORK, NEW YORK BUSINESS

OWNER'S AGENT:

271 CHURCH STREET OWNERS ASSOCIATION C/O HELMSEY-NOYES CO., INC.
22 COURTLANDT STREET
NEW YORK, NEW YORK 10007

ATTN: MR. P. DOUGHERTY

DATE: APRIL 13, 1995

FILING DATE: APRIL 27, 1995

SIGNED AND SEALED DATE 4/30/95

_ DATE 4/30/93

SECTIONS:

PAGE NO.

GLOSSARY....LOCAL LAW 10 OF 1980 BUILDING DEPARTMENT
LETTER G - 1

SECTION I...BUILDING DESCRIPTION AND HISTORY 1 - 3

SECTION II..LOCAL LAW 10/80 METHODS AND STIPULATIONS 1 - 2

SECTION III..INTENT, OBSERVATION AND COMMENTARY 1 - 9

SECTION IV...REPORT CONCLUSION AND RECOMMENDATIONS 1 - 3

SECTION V...BUILDING DEPARTMENT FILING 1

and as herewith defined as follows:



Stephen L. Cohan & Associates

Building System Evaluations And Related Services

1170 Broadway, Suite 1115; New York, New York, 10001; Tel: 212-583-9404/05. Fax: 212-683-9580

April 27, 1995

The City of New York Department of Buildings Manhattan Municipal Building New York, New York 10007

RE: Borough: Manhattan

Block:

175

Lot:

10

Location:

271 Church Street

New York, New York

To Whom It May Concern:

This office has examined the facades in accordance with the Fourth Cycle Filing requirements of Local Law 10 of 1980, Section C27-129.

The attached report, which represents the 1995-97 Fourth inspection cycle, indicates that there is no remedial work required at this time. The Owner had previously authorized that work be performed on the applicable facades. All required work was completed. The building facades generally conform to the criteria subject to Code requirements and applicable provisions of Local Law 10 of 1980 pursuant to C27-129, except as referenced in the report. The building is to be filed, as indicated in Section V, as In Compliance.

truly yours,

Stephen L. Cohan

Building System Evaluation and Services

SLC/sps

att: Local Law 10/80 Fourth Cycle Report

Helmsley-Noyes Co., Inc.

Attn: Mr. P. Dougherty

file

Signed and Sealed

Date 4/27/95

GLOSSARY - PAGE NO. 1

BUILDING

Stephen L. Cohan & Associates SYSTEM EVALUATIONS AND RELATED SERVICES

1170 Broadway, Suite 1115; New York, New York, 10001; Tel: 212-683-9404/05. Fax: 212-683-9580

SECTION I: BUILDING INFORMATION AND DESCRIPTION

General Information:

1. Location: Northeast corner of

> Church Street and Franklin Street

2. Occupiable Floors: 18 building levels plus

19th level roof, water

3. Roof and Appendages: tower, stair and elevator

bulkhead

Lot and Building Configuration:

1. Lot Description: Approximately 90'x100'

2. Courtyards: None applicable to

LL10/80 review

3. Building Shape: Rectangular grade through

roof level

None subject to LL10/80 3. Facade Setbacks:

review.

Classification and Age:

Construction: Steel frame with concrete

encasement and floor slab

2. Occupancy Use: Commercial/Business

3. Classification: Class A (I) Fireproof

Construction

4. Age: Approximately 60 years

of age

Applicable Facade and Areas:

1. North Facade: Partial width, 6th

through roof (19th) level

2. South Facade: Full width, grade through

roof (19th) level

3. East Facade: Partial width, 9th

through roof (19th) level

4. West Facade: Full width, grade through

roof (19th) level

Applicable Facade Construction:

1. Cut Stone Facade: South and west facades,

1st through 3rd level

sill line.

2. Cut Stone Projections: None

3. Cut Stone West facade, 1st and 2nd

Ornamentation: level entrance "frames"

window sills all

locations

4. Cut Stone Copings: North, south, east and

west applicable facades

5. Masonry (Sepia/Ochre) North facade, 6th level

Brick Facade: "floor" line

BID - PAGE 1

6. Masonry Ornamentation: East facade, 9th floor level through 19th (roof) level parapet. South and west facades, 3rd level through 15th level, center line fenestration and assorted areas, 18th level lintel line and 19th level (roof) parapet

replacement.

Exterior Appurtenances:

Metal flashings, cast/cut 1. Parapets: stone copings, masonry and masonry ornamentation

Wood or metal 2. Windows: replacements

3. Air Conditioning: Cast/cut light colored Units or Grills: stone

4. Metal Canopies: None

5. Terraces and None, except (19th) level Setbacks: water tower and stair

bulkhead level

6. Water Tower and 19th through 22nd level

parapet.

7. Miscellaneous: Assorted window or

balcony guards, railings,

screens, etc..

Previous Compliance Filing:

Bulkheads:

1. Status: On Going Maintenance September 30, 1991 Stephen L. Cohan & 2. Date: 3. Professional of

Record: Associates, Architects 4. Address: 15 East 26th Street, Suite 1607, NY NY 10010

212-683-9405

5. Telephone No.:

6. Third Cycle

Documentation: Attached